



TEST SPECIFICATION

Product:	BackPack		
Scope:	Backpack	Protocol No.	TYCP-24904-US
		Version	1.0
		Issue Date	Sep 19, 2011
		Prepared by	Dongmei Zhang
		Page	1 of 4

Instructions to Vendors:

Dear Valued Vendor:

Product safety is a top priority at Taymark. We, with the assistance of Intertek, a CPSC-accredited third-party testing partner or lab, have identified the various rules and regulations as well as the necessary test requirements that we need to meet in our partnership to sell products in the United States. This has been assembled into our required Test Protocol. Each product that is supplied to us must comply with this Test Protocol and any required associated test protocol(s) identified within it.

You are required by the US Law to verify the products you provide to Taymark (or any other customer marketing to children in the USA) meet the required safety standards. Likewise, Taymark is required by US Law to assure that we have documentation to confirm that you have verified that your products meet the applicable safety standards. Once you have verified that the product(s) you have supplied to us conforms to the corresponding Test Protocol(s), and the testing was conducted within the past twelve (12) months, we ask that the appropriate representative from your company provide Taymark with the proper General Certificate of Conformity ("GCC") and the corresponding documentation that you used to support the GCC, including, where applicable and required, the CPSC-accredited third-party test data. For an example of an acceptable GCC, please go to <http://www.cpsc.gov/about/cpsia/faq/elecfaq.pdf>.

Key

†: Any element on the attached form with the following symbol ("†") is a Mandatory Requirement to which the product(s) or components of product(s) you supply to Taymark must conform. You must perform the associated test(s) and provide Taymark with the test data to support the fact that the test(s) was (were) conducted and that the product(s) or components of product(s) meets the described requirements. You are responsible for conducting the mandatory testing, and you are responsible for any expenses incurred as a result of conducting the test(s) (including, without limitation, the costs and expenses associated with providing any samples, testing, reporting, and preparing the General Certificate of Conformity).

: The symbol ("") on the attached form indicates that additional charges may apply. Taymark's preferred Accredited Third-Party Testing Facility is Intertek. If you choose to use Intertek to conduct the mandatory testing, please reference Taymark and Taylor Corporation when submitting your requests for testing to Intertek as you may be able to take advantage of Taymark and Taylor Corporation's volume discount. You may contact Intertek for a price quote and any additional information they might need in order to conduct the required testing.

Additional Accredited Third-Party Testing facilities can be found at <http://www.cpsc.gov/cgi-bin/labsearch/>.

Note:

Where there is no applicable US standard, Intertek has chosen the most relevant International Standard to assess the product safety and performance. For undated references, the latest edition of the referenced document (including any amendments) applies.



TEST SPECIFICATION

Product:	BackPack		
Scope:	Backpack	Protocol No.	TYCP-24904-US
		Version	1.0
		Issue Date	Sep 19, 2011
		Prepared by	Dongmei Zhang
		Page	2 of 4

Attribute	Test Method/Standard	Requirement / Limit
Supplemental Protocol		
*† CA Prop 65 (Mandatory in state California)	Intertek Protocol	Consent Judgment of related court cases based on California Proposition 65. See http://oehha.ca.gov/prop65.html
*† CPSIA Supplemental	TYCP-00001-US	Shall comply with the applicable requirements. See CPSIA Supplemental Protocol posted at http://www.taymarkinc.com .
*† Children's Products (Non-toy)	TYCP-16026-US	Shall comply with the applicable requirements. See Children's Products (Non-toy) Protocol posted at http://www.taymarkinc.com .
Note: Additional cost, sample size & TAT may be required if testing to 1 or more supplemental protocol is necessary. Please refer to the above referenced supplemental protocol(s) for additional information.		
Chemical Analysis		
*† Lead Content in Paint and Similar Surface Coating	16 CFR 1303 (Scope Widened)	Shall not contain Lead or Lead compounds in which the Lead content is in excess of 90ppm by weight of the total content
*† Toxic elements in Packaging material (if applicable)	Model Toxics in Packaging Legislation / State Legislation	The sum of Cadmium, Hexavalent Chromium, Lead and Mercury in package or packaging component shall be less than 100 ppm by weight.
* Chromium VI (For leather)	ISO 17075	3 ppm max.
* Dimethyl fumarate (DMFu) (For leather)	2009/251/EC	Not detected
* Nickel Release (for metal components)	EN 1811 / EN 12472	The rate of nickel release from the parts of these products coming into direct and prolonged contact with the skin should be less than 0.5µg/cm ² /week.
Physical Characteristics		
* Fiber Analysis (if claimed)	AATCC 20/20A	Single fiber: No tolerance Blended fiber: +/- 3%
Product dimensions	Standard Measurement	Report actual; or +/-5% from label claims if applicable
Product weight	Standard Measurement	Report actual; or +/-5% from label claims if applicable
No. Of Main Compartments	Visual Check	Report counts of main compartments, shall meet label claims (if applicable).
No. Of External Pouches/ Pockets	Visual Check	Report counts of external ones; shall meet label claims (if applicable).
No. Of Internal Pouches /Pockets	Visual Check	Report counts of internal ones; shall meet label claims (if applicable).
Construction & Workmanship		
Workmanship	ASTM D 3990 Visual check	No Major Defects - Shall Demonstrate Good, Even Construction, With No Sharp Edges, Sharp Points, Discoloration, Fabric Defects Or Seam Openings
Performance Test		

431192_1

© Intertek 2011, All Rights Reserved

Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.



TEST SPECIFICATION

Product:	BackPack		
Scope:	Backpack	Protocol No.	TYCP-24904-US
		Version	1.0
		Issue Date	Sep 19, 2011
		Prepared by	Dongmei Zhang
		Page	3 of 4

Attribute	Test Method/Standard	Requirement / Limit		
Tensile strength: Shell	ASTM D5034		Warp (lbs)	Fill (lbs)
		< 2.5 oz/sq yd	20	15
		2.5-4.5oz/sq yd	30	20
		4.5-7.0oz/sq yd	40	30
		7.0-8.0oz/sq yd	50	35
		8.0-9.9oz/sq yd	60	40
		>= 10 oz/sq yd	80	55
Tensile strength: Lining	ASTM D5034	25 lbs min		
Seam strength: Shell	ASTM D 1683	Daily use bag: 25 lbs min Heavy use bag: 35 lbs min		
Seam strength: Lining	ASTM D 1683	20 lbs min		
Zipper seam	ASTM D1683 (mod)	Daily use bag: 20 lbs min Heavy use bag: 30 lbs min		
Handle strength	ASTM D1683 (mod)	50 lbs min or 1.5 times of claimed loading		
Strap attachment strength	ASTM D1683 (mod)	50 lbs min or 1.5 times of claimed loading		
Resistance to dynamic loading	ITS In-house Method	Load the bag to its max claimed weight and buckle it to the test torso, then subject to an alternating vertical sinusoidal movement through 120mm at a frequency of 2 Hz, total test cycles 2,000 cycles.		
* Zipper strength (for functional only) - Chain Crosswise Strength - Top stop strength - Resistance to pull-off slider pull (Angular) - Slider pull Twist-off strength	ASTM D2061	50 lbs 20 lbs 20 lbs 4 lbs-in		
* Surface Abrasion (For coated fabric only)	ASTM D3886	No surface change after 300 cycles		
* Attachment Strength	Pull test	Snaps, Buttons, Shanks, Rivets, etc. 15 lbs for 10 seconds. Hand-Sewn Beads, Sequins, etc. 5 lbs for 10 seconds.		
*Resistance To Corrosion (Metal Components)	ASTM B117 (Modified)	Withstand 24 hours in 1% salt spray (fog) with no major corrosion or visual change. Modification = 1% salt (fog) spray.		
Snap test (for functional only)				
*Unsnapping Force	ASTM D 4846	Min. 2.0 lb. Max. 8.0 lb.		
*Snapping Force	AATCC/ASTM TS-013	Min. 2.0 lb. Max. 8.0 lb.		
Colourfastness				
To Crocking	AATCC 8 / 116	Dry: Grade 4.0 Min, Wet: Grade 3.0 Min		
To water	AATCC 107	Colour Change: Grade 3.5 min. Colour Stain: Grade 3.5 min.		
To Light	AATCC 16 (20 AFU)	Grade 3.5 min		



TEST SPECIFICATION

Product:	BackPack		
Scope:	Backpack	Protocol No.	TYCP-24904-US
		Version	1.0
		Issue Date	Sep 19, 2011
		Prepared by	Dongmei Zhang
		Page	4 of 4

Labelling Requirement		
†One Time Use Products Fair Packaging and Labeling Act OR All Other Products Uniform Packaging and Labeling Regulations	F.P. & L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130	Manufacturer, packer, or distributor's name & address (city, state & zip)
		Product Identification
		Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).
†Country of Origin Marking	19 CFR 134.11	Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.
Fiber Content(if applicable)	16 CFR 303 / 300	Must be visible at point of sale & must comply with regulations (Textile Fibers Identification Act or Wool Products Labeling Act)
RN# (Registered Number) or Manufacturer Name(if applicable)	FTC Visual Check	Verify presence and must comply with the Textile Fiber Product Identification Act.
* Leather Labelling / Imitation Leather (if applicable)	16 CFR 24	Must be visible at point of sale & must comply to regulation http://www.ftc.gov/os/statutes/textile/gd-leath.shtml
Verify Label Claims (if any)	ITS-M0060	Must comply with all claims

Remark: Additional tests may be incurred subject to the final samples reviewed by Intertek.