| Intertek Taymark Jaylor TEST SPECIFICATION | | | aylor |
|---|---|--------------|---------------|
| Product: | Garters | | |
| Scope: | Garters, including garters decorated with lace, | Protocol No. | TYCP-24714-US |
| • | ribbon, sequence, buttons, etc. | Version | 1.0 |
| | | Issue Date | Oct 10, 2011 |
| | | Prepared by | Dongmei zhang |
| | | Page | 1 of 4 |

Instructions to Vendors:

Dear Valued Vendor:

Product safety is a top priority at Taymark. We, with the assistance of Intertek, a CPSC-accredited third-party testing partner or lab, have identified the various rules and regulations as well as the necessary test requirements that we need to meet in our partnership to sell products in the United States. This has been assembled into our required Test Protocol. Each product that is supplied to us must comply with this Test Protocol and any required associated test protocol(s) identified within it.

You are required by the US Law to verify the products you provide to Taymark (or any other customer marketing to children in the USA) meet the required safety standards. Likewise, Taymark is required by US Law to assure that we have documentation to confirm that you have verified that your products meet the applicable safety standards. Once you have verified that the product(s) you have supplied to us conforms to the corresponding Test Protocol(s), and the testing was conducted within the past twelve (12) months, we ask that the appropriate representative from your company provide Taymark with the proper General Certificate of Conformity ("GCC") and the corresponding documentation that you used to support the GCC, including, where applicable and required, the CPSC-accredited third-party test data. For an example of an acceptable GCC, please go to http://www.cpsc.gov/about/cpsia/faq/elecertfaq.pdf.

<u>Key</u>

†: Any element on the attached form with the following symbol ("†") is a <u>Mandatory Requirement to which the product(s) or components of</u> <u>product(s) you supply to Taymark must conform.</u> You must perform the associated test(s) and provide Taymark with the test data to support the fact that the test(s) was (were) conducted and that the product(s) or components of product(s) meets the described requirements. You are responsible for conducting the mandatory testing, and you are responsible for any expenses incurred as a result of conducting the test(s) (including, without limitation, the costs and expenses associated with providing any samples, testing, reporting, and preparing the General Certificate of Conformity).

: The symbol ("") on the attached form indicates that additional charges may apply. Taymark's preferred Accredited Third-Party Testing Facility is Intertek. If you choose to use Intertek to conduct the mandatory testing, please reference Taymark and Taylor Corporation when submitting your requests for testing to Intertek as you may be able to take advantage of Taymark and Taylor Corporation's volume discount. You may contact Intertek for a price quote and any additional information they might need in order to conduct the required testing.

Additional Accredited Third-Party Testing facilities can be found at http://www.cpsc.gov/cgi-bin/labsearch/.

Note:

Where there is no applicable US standard, Intertek has chosen the most relevant International Standard to assess the product safety and performance. For undated references, the latest edition of the referenced document (including any amendments) applies.

Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.

| Interte | Taymark Test specification | | aylor ORATION |
|----------|---|-------------------------|----------------------|
| Product: | Garters | | |
| Scope: | Garters, including garters decorated with lace, ribbon, sequence, buttons, etc. | Protocol No. Version | TYCP-24714-US 1.0 |
| | | Issue Date | Oct 10, 2011 |
| | | Prepared by | Dongmei zhang |
| | | Page | 2 of 4 |

٦

| Attribute | Test Method/Standard | Requirement / Limit |
|---|--|---|
| Supplemental Protocol | | |
| *† CA Prop 65 (Mandatory in state California) | Intertek Protocol | Consent Judgment of related court cases based on California Proposition 65. |
| | | See http://oehha.ca.gov/prop65.html |
| *† CPSIA Supplemental | TYCP-00001-US | Shall comply with the applicable requirements. |
| | | See CPSIA Supplemental Protocol posted at |
| | | http://www.taymarkinc.com. |
| *† Children's Products (Non-toy) | TYCP-16026-US | Shall comply with the applicable requirements. |
| | | See Children's Products (Non-toy) Protocol posted at http://www.taymarkinc.com |
| * Costume Jewelry | TYCP-01018-US | Shall comply with the applicable requirements. |
| | | See Costume Jewelry Protocol posted at |
| | | http://www.taymarkinc.com |
| * Lapel Pin | TYCP-01035-US | Shall comply with the applicable requirements. |
| | | See Lapel Pin Protocol posted at http://www.taymarkinc.com |
| Note: Additional cost, sample size | & TAT may be required if testing to | o 1 or more supplemental protocol is necessary. |
| Please refer to the above reference | ed supplemental protocol(s) for ad | ditional information. |
| Chemical Analysis | | |
| †* Lead Content in Paint and Similar Surface Coating | 16 CFR 1303 | Shall not exceed 90ppm (0.009% by weight) total lead. Children products refer to Children's safety protocol. |
| * Toxics in Packaging (If applicable) | Model Toxics in Packaging Legislation / State Legislation | The sum of Cadmium, Hexavalent Chromium, Lead and Mercury in package or packaging component shall be less than 100 ppm by weight. |
| | | It's Vendor responsible to comply to requirement |
| Physical Characteristics | | |
| Fabric Weight | ASTM D 3776 (Woven) ASTM D 3887 (Knit) | Report actual; or +/-5% if applicable |
| * Fiber Analysis | AATCC 20/20A | Single fiber: No tolerance |
| (if claimed) | | Blended fiber: +/- 3% |
| Construction & Workmanship | • | |
| Defects | Visual Check | No Major Defects - Shall Demonstrate Good, Even Construction, With No Sharp Edges, Sharp Points, Discoloration, Fabric Defects Or Seam Openings |
| Performance Test | 1 | |
| *† Flammability | 16 CFR 1610 | Class 1 |
| 1 i anni aonty | | |

437522_1 © Intertek 2011, All Rights Reserved

Г

Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.



aymark^{*}



TEST SPECIFICATION Garters Product: Garters, including garters decorated with lace, TYCP-24714-US Protocol No. Scope: ribbon, sequence, buttons, etc. Version 1.0 Oct 10, 2011 Issue Date Prepared by Dongmei zhang Page 3 of 4

| Attribute | Test Method/Standard | Requirement / Limit |
|-----------------------------------|------------------------------|---|
| Dimensional stability to washing | AATCC 135/150 | -7% -0% |
| (Per care instruction) | (Per care instruction | |
| | provided) | |
| Appearance after washing | Per Dimensional stability to | No noticeable change in appearance, no lack of functionality |
| (Per care instruction) | washing | General requirement: satisfactory |
| , , | | |
| Stretch properties | ASTM D 4964 | Report actual |
| | (Mod) | |
| * Attachment Strength | Pull test | Snaps, Buttons, Shanks, Rivets, etc. 15 lbs for 10 seconds. |
| - | | Hand-Sewn Beads, Sequins, etc. 5 lbs for 10 seconds. |
| * Resistance to Corrosion | ASTM B117 | Withstand 24 hours in 1% salt spray (fog) with no major corrosion |
| On Metal Components | (Modified) | or visual change. |
| (If applicable) | , | |
| Colourfastness | | |
| To washing (Per care instruction) | AATCC 61 | Colour Change: Grade 4.0 min. |
| | | Colour Stain: Grade 3.0 min. |
| | | Self-staining: Grade 4.5 min |
| To Chlorine Bleach | AATCC/ASTM TS-001 | Colour Change: Grade 4.0 min. |
| (Per care instruction) | | |
| To Non-Chlorine Bleach | AATCC/ASTM TS-001 | Colour Change: Grade 4.0 min. |
| (Per care instruction) | | |
| To perspiration | AATCC 15 | Colour Change: Grade 3.5 min. |
| | | Colour Stain: Grade 3.0 min. |
| To Water | AATCC 107 | Colour Change: Grade 3.5 min. |
| | | Colour Stain: Grade 3.0 min. |
| To Crocking | AATCC 8 / 116 | Dry: Grade 3.5 min. |
| - | | Wet: Grade 2.5 min. |
| To light | AATCC 16 (20 AFU) | Grade 3.5 min |
| *Phenolic Yellowing | ISO 105X18 | Grade 4.5 min |
| (White colour only) | | |
| Labelling Requirement | | |
| One Time Use Product | F.P. & L. Act | Manufacturer, Packer, or Distributor's Name & Address (City, |
| † Fair Packaging and Labelling | (16 CFR 500) | State & Zip) |
| Act or All Other Products | or | Product Identification |
| † Uniform Packaging and | NIST Uniform Laws and | Net quantity of contents shall be expressed in terms of weight or |
| Labelling Regulations | Regulations Handbook 130 | mass, measure, numerical count, or combination so as to give |
| | | accurate information to facilitate consumer comparison. |
| † Country of Origin Marking | 19 CFR 134 | Shall indicate country of origin legibly, permanently, and in |
| | | comparable size and close proximity to any mention of country |
| | | other than country in which the article was manufactured or |
| | | produced. Must be visible at point of purchase. |
| Fiber Content (If applicable) | 16 CFR 303 / 300 | Must be visible at point of sale & must comply with regulations |
| | | (Textile Fibers Identification Act or Wool Products Labeling Act) |

437522_1

© Intertek 2011, All Rights Reserved

Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.

| Interte | test specification | | aylor |
|----------|---|--------------|---------------|
| Product: | Garters | | |
| Scope: | Garters, including garters decorated with lace, | Protocol No. | TYCP-24714-US |
| | ribbon, sequence, buttons, etc. | Version | 1.0 |
| | | Issue Date | Oct 10, 2011 |
| | | Prepared by | Dongmei zhang |
| | | Page | 4 of 4 |

| Attribute | Test Method/Standard | Requirement / Limit |
|-----------------------------------|----------------------|--|
| RN# (Registered Number) or | Visual | Verify presence (Textile Fiber Products Identification Act or Wool |
| Manufacturer Name (If applicable) | | Products Labelling Act) |
| Care Instruction | 16 CFR 423 | Must be sewn in permanently and must comply with regulations |
| | | (Care Labeling Rule) |
| Verify Label Claims (if any) | ITS-M0060 | Must comply with all claims |

Remark: Additional tests may be incurred subject to the final samples reviewed by Intertek.