Intertek		aymark"	Taylor	
		Test Specification	CORI	PORATION
Product:	Letter opener			
Scope:	A piece	of material or blade intended to open up	Protocol No.	TYCP-04040-US
·	letters	letters with its sharp edge.	Version	1.0
			Issue Date	Oct 03, 2011
			Prepared by	Intertek HK - TFH
			Page	1 of 3

Instructions to Vendors:

Dear Valued Vendor:

Product safety is a top priority at Taymark. We, with the assistance of Intertek, a CPSC-accredited third-party testing partner or lab, have identified the various rules and regulations as well as the necessary test requirements that we need to meet in our partnership to sell products in the United States. This has been assembled into our required Test Protocol. Each product that is supplied to us must comply with this Test Protocol and any required associated test protocol(s) identified within it.

You are required by the US Law to verify the products you provide to Taymark meet the required safety standards. Likewise, Taymark is required by US Law to assure that we have documentation to confirm that you have verified that your products meet the applicable safety standards. Once you have verified that the product(s) you have supplied to us conforms to the corresponding Test Protocol(s), and the testing was conducted within the past twelve (12) months, we ask that the appropriate representative from your company provide Taymark with the proper General Certificate of Conformity ("GCC") and the corresponding documentation that you used to support the GCC, including, where applicable and required, the CPSC-accredited third-party test data. For an example of an acceptable GCC, please go to http://www.cpsc.gov/about/cpsia/faq/elecertfaq.pdf.

<u>Key</u>

Any element on the attached form with the following symbol ("†") is a <u>Mandatory Requirement to which the product(s) or</u> <u>components of product(s) you supply to Taymark must conform.</u> You must perform the associated test(s) and provide Taymark with the test data to support the fact that the test(s) was (were) conducted and that the product(s) or components of product(s) meets the described requirements. You are responsible for conducting the mandatory testing, and you are responsible for any expenses incurred as a result of conducting the test(s) (including, without limitation, the costs and expenses associated with providing any samples, testing, reporting, and preparing the General Certificate of Conformity).

: The symbol ("") on the attached form indicates that additional charges may apply. Taymark's preferred Accredited Third-Party Testing Facility is Intertek. If you choose to use Intertek to conduct the mandatory testing, please reference Taymark and Taylor Corporation when submitting your requests for testing to Intertek as you may be able to take advantage of Taymark and Taylor Corporation's volume discount. You may contact Intertek for a price quote and any additional information they might need in order to conduct the required testing.

Additional Accredited Third-Party Testing facilities can be found at http://www.cpsc.gov/cgi-bin/labsearch/.

Note:

Where there is no applicable US standard, Intertek has chosen the most relevant International Standard to assess the product safety and performance. For undated references, the latest edition of the referenced document (including any amendments) applies.

431073_1

© Intertek 2011, All Rights Reserved

Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.

Intertek		"aymark"	Taylor CORPORATION	
		Test Specification	CORI	PORATION
Product:	Lette	r opener		
Scope:	A piece of material or blade intended to open up letters with its sharp edge.	Protocol No.	TYCP-04040-US	
·		Version	1.0	
		Issue Date	Oct 03, 2011	
			Prepared by	Intertek HK - TFH
			Page	2 of 3

Attribute	Test Method / Standard	Requirement / Limit	Result
Supplemental Protocol(s)		·	•
†* CA Prop 65	Intertek Protocol	Consent Judgment of related court cases based on California	
(mandatory in state		Proposition 65.	
California, US)		See http://oehha.ca.gov/prop65.html	
Chemical Analysis			
*Lead Content of Paints or	16 CFR 1303	Shall not contain Lead or Lead compounds in which the Lead	
Similar Surface Coating	(scope widened)	content is in excess of 0.009% by weight of the total content (90ppm).	
*†Toxic Elements in	TPCH	Shall comply with TPCH in those states with legislation. Total	
Packaging Components		concentration of Pb, Cd, Hg and hexavalent $Cr \le 100$ ppm.	
		In lieu of testing, certificate of compliance may be submitted if dated within one year.	
Physical Characteristic			
Overall Dimensions (LxWxH)	ITS-M0059	Report overall dimensions; shall meet label claims (if applicable).	
Overall Weight	ITS-M0059	Report overall weight; shall meet label claims (if applicable).	
Handle / Grip (L x W x H)	ITS-M0059	Report overall dimensions; shall meet label claims (if applicable).	
Blade (L x W x H)	ITS-M0059	Report overall dimensions; shall meet label claims (if applicable).	
Parts Inventory	ITS-M0060	Shall meet label claims (if applicable).	
Material Type	ITS-M0060	Shall meet label claims (if applicable).	
Construction & Workmanshi			
Sharp Points / Edges	16 CFR 1500.48 / 49	Shall have no sharp points / edges, other than those required for	
	(Scope widened)	function.	
Defects	Visual Check	Shall have no discernible surface degradation, including crazing,	
		shivering, denting, bubbles, cracks, stains, deformations, chips,	
		fractures, heavy lines, waves, shear marks, scratches, scuff marks,	
		indentations, or blisters.	
Workmanship	Visual Check	Shall have no components missing, malformed, and/or fractured.	
Performance			_
Functionality	ITS-M0061	Shall function as intended as received	
Operates Safety	Actual Use	10 cycles of use. Shall be easily to open letter with safe.	
Strength Of Attachment / Joints	Standard Measurement	Withstand 25 Lbs. minimum	
Drop test	ITS-M0053	[Non-fragile items]	
		Shall withstand 3 drops from 3 feet without failure.	
* Moisture Content (solid wood only)	ITS-M0054	Shall be between 8% - 12%.	
* Resistance To Corrosion	ASTM B117	Withstand 24 hours in 1% salt spray (fog) with no major corrosion or	
(Metal Components)	(Mod.)	visual change. Modification = 1% salt (fog) spray.	
Labeling	(1

431073_1

© Intertek 2011, All Rights Reserved Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.

Intertek		"aymark"	Taylor CORPORATION	
		Test Specification	CORI	PORATION
Product:	Lette	er opener		
Scope:	A piece of material or blade intended to open up		Protocol No.	TYCP-04040-US
·	letters with its sharp edge.	Version	1.0	
				Oct 03, 2011
				Intertek HK - TFH
			Page	3 of 3

Attribute	Test Method / Standard	Requirement / Limit	Result
†One Time Use Products	F.P. & L. Act	Manufacturer, packer, or distributor's name & address (City, state &	
Fair Packaging and Labeling	(16 CFR 500)	zip).	
Act OR	OR	Product identification.	
	NIST Uniform Laws and	Net quantity of contents shall be expressed in terms of weight or	
†All Other Products	Regulations Handbook	mass, measure, numerical count, or combination so as to give	
Uniform Packaging and	130	accurate information to facilitate consumer comparison (U.S. and	
Labeling Regulations		metric units).	
†Country of Origin Marking	19 CFR 134.11	Shall indicate country of origin legibly, permanently, and in	
		comparable size and close proximity to any mention of country other	
		than country in which the article was manufactured or produced.	
		Shall be visible at point of purchase.	
Parts Labeling	Visual Check	Shall match the actual content if present.	
Use Labeling	ITS-M0060	Use/care instructions that are clear and understandable shall be	
		provided in language appropriate to destination countries.	
Verify Label claims	ITS-M0060	Must comply with all claims	
Instructions	ITS-M0060	Shall provide an easy understandable instructions regarding	
		assembly, use and maintenance	

Remark: Additional tests may be incurred subject to the final samples reviewed by Intertek.

431073_1 © Intertek 2011, All Rights Reserved

Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.