





| Product: | Scarves                           |              |               |
|----------|-----------------------------------|--------------|---------------|
| Scope:   | Scarves (Textiles, Woven or Knit) | Protocol No. | TYCP-24710-US |
|          |                                   | Version      | 1.0           |
|          |                                   | Issue Date   | Oct 31, 2011  |
|          |                                   | Prepared by  | Dongmei zhang |
|          |                                   | Page         | 1 of 4        |

### **Instructions to Vendors:**

#### Dear Valued Vendor:

Product safety is a top priority at Taymark. We, with the assistance of Intertek, a CPSC-accredited third-party testing partner or lab, have identified the various rules and regulations as well as the necessary test requirements that we need to meet in our partnership to sell products in the United States. This has been assembled into our required Test Protocol. Each product that is supplied to us must comply with this Test Protocol and any required associated test protocol(s) identified within it.

You are required by the US Law to verify the products you provide to Taymark (or any other customer marketing to children in the USA) meet the required safety standards. Likewise, Taymark is required by US Law to assure that we have documentation to confirm that you have verified that your products meet the applicable safety standards. Once you have verified that the product(s) you have supplied to us conforms to the corresponding Test Protocol(s), and the testing was conducted within the past twelve (12) months, we ask that the appropriate representative from your company provide Taymark with the proper General Certificate of Conformity ("GCC") and the corresponding documentation that you used to support the GCC, including, where applicable and required, the CPSC-accredited third-party test data. For an example of an acceptable GCC, please go to <a href="http://www.cpsc.gov/about/cpsia/faq/elecertfaq.pdf">http://www.cpsc.gov/about/cpsia/faq/elecertfaq.pdf</a>.

### Key

- †: Any element on the attached form with the following symbol ("†") is a Mandatory Requirement to which the product(s) or components of product(s) you supply to Taymark must conform. You must perform the associated test(s) and provide Taymark with the test data to support the fact that the test(s) was (were) conducted and that the product(s) or components of product(s) meets the described requirements. You are responsible for conducting the mandatory testing, and you are responsible for any expenses incurred as a result of conducting the test(s) (including, without limitation, the costs and expenses associated with providing any samples, testing, reporting, and preparing the General Certificate of Conformity).
- \*: The symbol ("\*") on the attached form indicates that additional charges may apply. Taymark's preferred Accredited Third-Party Testing Facility is Intertek. If you choose to use Intertek to conduct the mandatory testing, please reference Taymark and Taylor Corporation when submitting your requests for testing to Intertek as you may be able to take advantage of Taymark and Taylor Corporation's volume discount. You may contact Intertek for a price quote and any additional information they might need in order to conduct the required testing.

Additional Accredited Third-Party Testing facilities can be found at <a href="http://www.cpsc.gov/cgi-bin/labsearch/">http://www.cpsc.gov/cgi-bin/labsearch/</a>.

### Note:

Where there is no applicable US standard, Intertek has chosen the most relevant International Standard to assess the product safety and performance. For undated references, the latest edition of the referenced document (including any amendments) applies.







| Product: | Scarves                           |              |               |
|----------|-----------------------------------|--------------|---------------|
| Scope:   | Scarves (Textiles, Woven or Knit) | Protocol No. | TYCP-24710-US |
| ·        |                                   | Version      | 1.0           |
|          |                                   | Issue Date   | Oct 31, 2011  |
|          |                                   | Prepared by  | Dongmei zhang |
|          |                                   | Page         | 2 of 4        |

| Attribute  | Test Method/Standard               | Requirement / Limit   |
|--|------------------------------------|---|
| Supplemental Protocol  |                                    |   |
| *† CA Prop 65<br>(Mandatory in state California)                         | Intertek Protocol                  | Consent Judgment of related court cases based on California Proposition 65. |
|  |                                    | See http://oehha.ca.gov/prop65.html   |
| *† CPSIA Supplemental  | TYCP-00001-US                      | Shall comply with the applicable requirements.                              |
|  |                                    |   |
|  |                                    | See CPSIA Supplemental Protocol posted at                                   |
| *+ Children's Products (Non-tou)   | TYCP-16026-US                      | http://www.taymarkinc.com Shall comply with the applicable requirements.    |
| *† Children's Products (Non-toy)   | 11CP-10020-05                      | Shall comply with the applicable requirements.                              |
|  |                                    | See Children's Products (Non-toy) Protocol posted at                        |
|  |                                    | http://wwwtaymarkinc.com  |
| Note: Additional cost, sample size & Please refer to the above reference |                                    | o 1 or more supplemental protocol is necessary.                             |
| Chemical Analysis  | a supplemental protocol(s) for aut | unional information.  |
| *† Lead Content in Paint and   | 16 CFR 1303                        | Shall not contain Lead or Lead compounds in which the Lead                  |
| Similar Surface Coating  | (Scope Widened)                    | content is in excess of 90ppm by weight of the total content                |
| *†Toxic elements in Packaging  | Model Toxics in Packaging          | The sum of Cadmium, Hexavalent Chromium, Lead and Mercury                   |
| material (if applicable)   | Legislation / State Legislation    | in package or packaging component shall be less than 100 ppm                |
| material (ii applicable)   | Logidiation / State Logidiation    | by weight.  |
| Physical Characteristics   |                                    | , , ,   |
| †* Fiber Analysis  | AATCC 20/20A                       | Single fiber: No tolerance  |
|  |                                    | Blended fiber: +/- 3%   |
| pH value   | AATCC 81                           | White: 5-7  |
|  |                                    | Others: 6-8   |
| Formaldehyde Spot test   | ITS 416                            | Negative  |
| (Do below test directly if result is                                     |                                    |   |
| Positive) * Formaldehyde Content   | AATCC 112                          | 7F nnm may  |
| Dimensions   | Standard Measurement               | 75 ppm max  Report actual or +/-5.0% from claim                             |
| Yarn Count   | ASTM D 1059                        | Report actual or +/-5.0% from claims  |
| Fabric count   | ASTM D 1039<br>ASTM D 3775         | Report actual or +/-5.0% from claims  Report actual or +/-5.0% from claims  |
| Construction & Workmanship   |                                    | Treport actual of #7-0.0 // IFOIT Gaillis                                   |
| Workmanship  | ASTM D 3990                        | No Major Defects - Shall Demonstrate Good, Even Construction,               |
| Workmananip  | Visual check                       | With No Sharp Edges, Sharp Points, Discoloration, etc                       |
| Flammability   | 1.000.7 0110011                    | 1 3 = =====   |
| †* Flammability  | 16 CFR 1610                        | Class 1   |
| Performance Test   |                                    |   |
| Tensile Strength (for woven)   | ASTM D5034                         | 20 lbs min.   |
| Bursting Strength (for knit)   | ASTM D3786                         | 35 lb/sq in   |
| Pilling Resistance as received   | ASTM D3512 (30 mins)               | Grade 3-4 min.  |

### 437536\_1

# © Intertek 2011, All Rights Reserved

Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.







| Product: | Scarves                           |              |               |
|----------|-----------------------------------|--------------|---------------|
| Scope:   | Scarves (Textiles, Woven or Knit) | Protocol No. | TYCP-24710-US |
|          |                                   | Version      | 1.0           |
|          |                                   | Issue Date   | Oct 31, 2011  |
|          |                                   | Prepared by  | Dongmei zhang |
|          |                                   | Page         | 3 of 4        |

| Attribute  | Test Method/Standard         | Requirement / Limit  |
|--|------------------------------|--|
| Colourfastness   |                              |  |
| To Crocking (Not for white colour)   | AATCC 8 / AATCC 116          | Dry: 4 min. Wet: 3 min.  |
| To Perspiration  | AATCC 15                     | Colour Change: Grade 3.5 min.                                      |
| To reispilation  | AATOC 13                     | Colour Stain: Grade 3.0 min.                                       |
| To water   | AATCC 107                    | Colour Change: Grade 3.5 min.                                      |
| (Not for white colour)   | AATCC 107                    | Colour Stain: Grade 3.0 min.                                       |
| To Light   | AATCC 16                     | 20 fading units: 3.5 min   |
| *Phenolic Yellowing test   | ISO 105X18                   | Grade 4.5 min  |
| (White colour only)  | 100 100/10                   | Orace 4.5 min  |
| Care Labelling Test (per provide   | care instruction)            |  |
| *Dimensional Stability to Washing  | AATCC 135/150                | Woven: -4% / +3.0%   |
| (3 cycles)   | (Per care instruction)       | Knit: -5% / +3.0%  |
| *Appearance After Washing (3   | Per Dimensional Stability to | Satisfactory   |
| cycles)  | Washing                      |  |
| *Dimensional Stability to Dryclean   | Commercial Dryclean          | Woven: +/-2.5%   |
| (1 cycle)  | ,                            | Knit: +/-3.0%  |
| *Appearance After Dryclean   | Per Dimensional Stability to | Satisfactory   |
| (1 cycle)  | Dryclean                     | ,  |
| *Colour Fastness to Washing  | AATCC 61                     | Colour Change: Grade 4.0 min.                                      |
|  |                              | Colour Stain: Grade 3.5 min.                                       |
|  |                              | Colour staining: Grade 4.5 min.                                    |
| *Colour Fastness to Dryclean   | AATCC 132                    | Colour Change: Grade 4.0 min.                                      |
|  |                              | Colour Stain: Grade 3.5 min.                                       |
|  |                              | Colour staining: Grade 4.5 min.                                    |
| *Colour Fastness to Chlorine Bleach  | AATCC/ASTM TS-001            | Colour Change: Grade 4.0 min.                                      |
| * Colour Fastness to Non-<br>Chlorine Bleach   | AATCC/ASTM TS-001            | Colour Change: Grade 4.0 min.                                      |
| Labelling Requirement  |                              |  |
| †One Time Use Products   | F.P. & L. Act                | Manufacturer, packer, or distributor's name & address (city, state |
| Fair Packaging and Labeling Act  | (16 CFR 500)                 | & zip)   |
| OR   | OR                           | Product Identification   |
| All Other Products   | NIST Uniform Laws and        | Net quantity of contents shall be expressed in terms of weight or  |
| Uniform Packaging and Labeling   | Regulations Handbook 130     | mass, measure, numerical count, or combination so as to give       |
| Regulations  |                              | accurate information to facilitate consumer comparison (U.S. and   |
| , and the second |                              | metric units).   |
| †Country of Origin Marking   | 19 CFR 134.11                | Shall indicate country of origin legibly, permanently, and in      |
|  |                              | comparable size and close proximity to any mention of country      |
|  |                              | other than country in which the article was manufactured or        |
|  |                              | produced. Must be visible at point of purchase.                    |
| †Fiber Content   | 16 CFR 303 / 300             | Must be visible at point of sale & must comply with regulations    |
|  |                              | (Textile Fibers Identification Act or Wool Products Labeling Act)  |

### 437536\_1







| Product: | Scarves                           |              |               |
|----------|-----------------------------------|--------------|---------------|
| Scope:   | Scarves (Textiles, Woven or Knit) | Protocol No. | TYCP-24710-US |
|          |                                   | Version      | 1.0           |
|          |                                   | Issue Date   | Oct 31, 2011  |
|          |                                   | Prepared by  | Dongmei zhang |
|          |                                   | Page         | 4 of 4        |

| Attribute                    | Test Method/Standard | Requirement / Limit  |
|------------------------------|----------------------|--|
| †RN# (Registered Number) or  | FTC                  | Verify presence and must comply with the Textile Fiber Product |
| Manufacturer Name            | Visual Check         | Identification Act.  |
| Care Instruction             | 16 CFR 423           | Must be sewn in permanently and must comply with regulations   |
|                              |                      | (Care Labeling Rule)   |
| Verify Label Claims (if any) | ITS-M0060            | Must comply with all claims                                    |

Remark: Additional tests may be incurred subject to the final samples reviewed by Intertek.